Food and Drug Administration



9200 Corporate Boulevard
Rockville MD 20850

Mr. Peter Weisenborn
Vice President, Regulatory Affairs
AirSep Corporation
290 Creekside Drive

Buffalo, New York 14228-2070

Re: K000963

Trade Name: Da Vinchi™ EEG and EMG/EP Systems

Regulatory Class: II Product Code: GWQ Dated: August 15, 2000 Received: August 18, 2000

Dear Mr. Weisenborn:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4595. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsmamain.html".

Sincerely yours,

Celia M. Witten, Ph.D., M.D.

Mark M. Mellers

Director

Division of General, Restorative and Neurological Devices Office of Device Evaluation Center for Devices and Radiological Health

Enclosure

510(k) Number:

K000963

Device Name:

Da Vinchi™ EEG and EMG/EP Systems

Indications For Use:

DA VINCHI EEG Systems are used for the acquisition, display and storage of biologic signals relating principally to cortical surface potentials with additional capabilities of collecting polygraphic signals such as EKG, muscle tone, respiration effort etc. Signals are collected and processed as per traditional techniques of EEG interpretation. Computer and digital techniques enhance the physician's capability of working with acquired trace data during the interpretation process.

The DA VINCHI EMG/EP system is a computer based instrument for the acquisition, display, review and storage of electromygraphic, electroneurographic and evoked potential signals. Instrument is used by knowledgeable physicians and medical staff in the diagnosis of neurological or muscular disorders. The instrument displays signals, aids in specific measurements but does not perform any interpretation or attempt to evaluate any signals for their pathologic relevance. All data interpretation is performed by the physician.

This submission covers only the computer software used in the system. It does not include any hardware.

It does not involve any patient monitoring or diagnosis.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Division Sign-Off)

Division of General Restorative Devices

Ov 0963

510(k) Number -

(Optional Format 3-10-98)